# GENERAL INDEX TO VOLUME VIII

New scientific names of plants and the final members of new combinations are printed in **bold face** type; synonyms and page numbers having reference to figures and plates, in *italic*; and previously published scientific names and all other matter, in ordinary type.

#### A

abietina (Tremella), 381
abietinus (Dacryomyces), 381
alba (Exidia), 366
alba (Exidia), 366
alba (Seismosarca), 366
alba (Seismosarca), 366
Alyssum, 134; alpinum, 208; arcticum, 156; arggreum, 158; auriculatum, 147; Berlandieri, 160; bolivense, 204; densiflorum, 150; Engelmannii, 152; Fendleri, 164; globosum, 175; Gordonii, 188; gracile, 184; grandiflorum, 148; Grayanum, 198; lasiocarpum, 137; Lescurii, 135; Lindheimeri, 183; ludovicianum, 174; Nuttallii, 186; pallidum, 173; auranseum, 161; recurrentum, 171;

173; purpureum, 161; recuratum, 171; repandum, 186; Schauerianum, 140; Shortii, 202; Urbanianum, 204
Amylase, The effect of hydrogen-ion concentration upon the accumulation and activation of, produced by certain fungi, 63

Armstrong, George M. Studies in the physiology of the fungi. xvi. Sulphur nutrition: The use of thiosulphate as influenced by hydrogen-ion concentration, 237

Aspergillus niger, 242, 283
aurantia (Naematelia), 368
aurantia (Tremella), 368
aurantia (Tremella), 368
aurantius (Dacryomyces), 379
Auricularia delicata, 392, 396; rosea, 391, 396; strigoso-zonata, 394; tremellosa, 392
Auriculariaceae, 390

#### B

auriformis (Hirneola), 390

Beet decoction, germination of spores in, 293, 294
Botrytis cinerea, 242, 283
Burt, E. A. Some North American Tremellaceae, Dacryomycetaceae, and Auriculariaceae, 361
Burtii (Heterochaete), 375

Ann. Mo. Bot. Gard., Vol. 8, 1921

#### C

candida (Exidia), 367
Casein in standardization of ultrafilters, 352
ceracea (Dacryopsis), 387
chrysosperma (Dacryomyces), 379
Clavarioides (Tremella), 364
Colletotrichum Gossypii, 71
colorata (Tremella), 373
concrescens (Peziza), 362
concrescens (Tremella), 373
concrescens (Tremella), 362, 396
conformis (Ditiola), 386
Corticium reticulatum, 364; tremellinum, 363, var. reticulatum, 364
Czapek's solution, germination of spores in, 290

## D

Daeryomitra pedunculata, 389; stipitata, 387, 396
Daeryomyces abietinus, 381; aurantius, 379; chrysosperma, 379; deliquescens, 382; Ellisii, 385; flabellum, 379; Harperi, 385; minor, 382, 384; palmatus, 379, 396; pedunculatus, 389; pellucidus, 363; stillatus, 381; subochraceus, 384
Daeryomycetaceae, 378
Daeryopsis ceracea, 387; Ellisiana, 389; palmata, 379
Degenia velebitica, 227
delicata (Auricularia), 392, 396
delicata (Auricularia), 392, 396
delicata (Laschia), 392
deliquescens (Daeryomyces), 382
deliquescens (Tremella), 382
Ditiola conformis, 386
Duggar, B. M. and J. L. Karrer. The sizes of the infective particles in the mosaic disease of tobacco, 343

#### T

Ellisiana (Dacryopsis), 389 Ellisii (Dacryomyces), 385 encephala (Naematelia), 369 encephala (Tremella), 369 encephaliformis (Naematelia), 369 encephaliformis (Tremella), 369

[397]

Enzymatic activities in Rhizoctonia, 13 Enzyme action: amylase, 74 Eudema thlaspiforme, 227 Exidia alba, 366; candida, 367; gemmata, 371; nucleata, 371; pedunculata, 389; spiculata, 372 Exidiopsis alba, 366 hydrogen-ion concentration upon the accumulation and activation of amylase produced by certain fungi, 63; Duggar, B. M. and. The sizes of the infective particles in the mosaic disease of tobacco, 343

Kneiffa gelatinosa, 376

#### F

Femsjoniana (Guepinia), 386
Filtration of mosaic disease virus, 344
flabellum (Dacryomyces), 379
fuciformis (Tremella), 365
fuciformis (Tremella), 364
Fungi, Studies in the physiology of the,
xII, 1; XIII, 63; XIV, 237; XV, 283
Fusarium sp., 71, 283
Fusion of hyphae in Rhizoctonia, 39

### G

Gelatin in standardization of ultrafilters, 353 gelatinosa (Heterochaete), 376 gelatinosa (Kneiffia), 376 gemmata (Exidia), 371 Germination of spores of certain fungi in relation to H-ion concentration, 283 Greenman, J. M. Two new senecios from the West Indies, 97 Guepinia Femajoniana, 386

## H

Harperi (Dacryomyces), 385
Helicobasidium Peckii, 395
Hemoglobin in standardization of ultrafilters, 352
Heterochaete, 374; andina, 374; Burtii,
375; gelatinosa, 376; microspora, 376;
Sheari, 377; sublivida, 375
Hirneola auriformis, 390
Hordeum pusillum, 357
H-ion concentration: as affecting Rhizoctonia, 35; Germination of fungous
spores in relation to, 283; The effect
of, upon the accumulation and activation of amylase produced by certain
fungi, 63; The use of thiosulphate
as influenced by, 237

#### T

Infective particles in mosaic disease, sizes of, 343

# K

Karrer, J. L. Studies in the physiology of the fungi. XIII. The effect of

## L

Laschia delicata, 392; tremellosa, 392 Lenzites saepiaria, 283 Lesquerella, a monograph of the genus, 103

Lesquerella, 133; alpina, 208, var. spathulata, 210; alpina, 205; angustifolia, 182, 182; arctica, 156, var. Purshii, 157; arenosa, 178, 179; argentea, 174; argentea, 139, var. arenosa, 178; argyraea, 158; arizonica, 207, var. nudicaulis, 208; aurea, 173; auriculata, 147; Berlandieri, 160, 160; cinerea, 214, 215; cinerea, 214; condensata, 211, 211, var. laevis, 212; curvipes, 201, 201; curvipes, 198; Cusickii, 225; densiflora, 150, 150; diversifolia, 222, 222; Douglasii, 225, 226; Engelmannii, 151, 152; Engelmannii, 153; Fendleri, 163; flexuosa, 227; foliacea, 164; frigida, 141; Garrettii, 213; globosa, 202; Gordonii; 188, 189; Gordonii, 183, var. sessilis, 187; gracilis, 186; grandiflora, 148, 149; intermedia, 205; Kingii, 215, 216; lasiocarpa, 137, var. Berlandieri, 139; lata, 195, 196; latifolia, 217, 217; Lescurii, 135; Lindheimeri, 183, 183; ludoviciana, 175, 178; Lunellii, 179, var. lutea, 179; Macounii, 179; macrocarpa, 181; mendocina, 203; montevidense, 155; Nutalliii, 186; occidentalis, 223; ovalifolia, 153; ovala, 153; pallida, 172; Palmeri, 191, 191; parvula, 208; pinetorum, 193, 193; polyantha, 184; praecox, 164; prostrata, 221,221; pruinosa, 194,194; pueblensis, 169, 170; purpurea, 161, 161; rectipes, 196; recurvata, 170, 171; repanda, 186; rosea, 179; rosulata, 198; Schaffneri, 168; Schaueriana, 139; sessilis, 187; Shearis, 198; stenophylla, 164; tenella, 191; thlaspiformis, 227; utahensis, 219, 220; valida, 204; velebitica, 227; versicolor, 178; Wardii, 218, 218; Wardii, 218

#### $\mathbf{M}$

Mannite solution, germination of spores in, 290, 294

Matsumoto, T. Studies in the physiology of the fungi. XII. Physiological sepcialization in Rhizoctonia Solani Kühn, 1

Merulius strigoso-zonatus, 394

Metabolism in fungi, 13, 237; carbohydrate, 17; nitrogen, 30

microspora (Heterochaete), 376

minor (Dacryomyces), 382, 384

Mosaic disease of tobacco, sizes of infective particles in, 343

Myagrum argenteum, 174

#### N

Naematelia aurantia, 368; encephala, 369; encephaliformis, 369; nucleata, 371; quercina, 368
nucleata (Exidia), 371
nucleata (Naematelia), 371
nucleata (Tremella), 371
Nutrient solutions, mineral, for fungi, 17, 73, 242, 289, 290

#### 0

Ochroma lagopus, 390 orbicularis (Phlebia), 394

#### p

palmata (Dacryopsis), 379 palmata (Tremella), 379 palmatus (Dacryomyces), 379, 396 Payson, E. B. A monograph of the genus Lesquerella, 103 Peckii (Helicobasidium), 395 pedunculata (Dacryomitra), 389 pedunculata (Exidia), 389 pedunculatus (Dacryomyces), 389 pellucidus (Dacryomyces), 363
Penetration of host by Rhizoctonia, 46
Penicillium cyclopium, 242, 283; glaucum, 242; italicum, 71 Peptone, germination of spores in, 292 Peziza concrescens, 362 Phiebia orbicularis, 394; pileata, 394; rubiginosa, 394; strigoso-zonata, 394 Physaria montana, 224 Physiological specialization in Rhizoctonia Solani Kühn, 1 pileata (Phlebia), 3 394 Porcelain ultrafilters for mosaic disease virus, 346

#### Q

quercina (Naematelia), 368

## R

reticulata (Tremella), 364
reticulatum (Corticium), 364
Rhizoetonia Solani, 1
rosea (Auricularia), 391, 396
Rosen, H. R. Tilletia texana in Missouri,
357
rubiginosa (Phlebia), 394

#### S

Sebacina Sheari, 377
Seismosarca alba, 366
Senecio Freemanii, 98, 102; subsquarrosus, 97, 100
Senecios, two new, from the West Indies, 97
Sheari (Heterochaete), 377
Sheari (Sebacina), 377
Some North American Tremellaceae, Dacryomycetaceae, and Auriculariaceae, 361
Sparassis tremelloides, 368
Sparassoidea (Tremella), 364
spiculata (Exidia), 372
Standardization of ultrafilters, 346
stillatus (Dacryomyces), 381
stipitata (Dacryomyces), 381
stipitata (Tremella), 387
strigoso-zonata (Auricularia), 394
strigoso-zonata (Auricularia), 394
strigoso-zonata (Phlebia), 394
Studies in the physiology of the fungt, XII, 1; XIII, 63; XIV, 237; XV, 283
subcarnosa (Tremella), 373
sublivida (Heterochaete), 375
subochraceus (Dacryomyces), 384
Sulphur nutrition in the fungi, 237
Sulphur, sources of, for fungi, 242
Synthlipsis, 134; Berlandieri, 137, 139; heterochroma, 137; lepidola, 140

#### T

Temperature, influence of, on fungi, 11 Thiosulphate, the use of, as influenced by hydrogen-ion concentration, 237 Tilletia texana in Missouri, 357 Tobacco, mosaic disease of, 343 Tremella abietina, 381; aurantia, 368; aurantia, 368; (luvarioides, 364; colorata, 373; concrescens, 362, 396; deliquescens, 382; encephala, 369; encephaliformis, 369; fuciformis, 365; fuciformis, 364; nucleata, 371; palmata, 379; reticulata, 364; Sparassoidea, 364; stipitata, 387; subcarnosa, 373; subcarnacea, 384; vesicaria, 363; vesicaria, 363

Tremellaceae, 361 tremellinum (Corticium), 363 tremellinum var. reticulatum (Corticium), 364 tremellosa (Auricularia), 392 tremellosa (Laschia), 392 tremelloides (Sparassis), 368

#### U

Ultrafiltration of mosaic disease virus, 346

Vesicaria, 134; alpina, 205, 208; andicola, 204; angustifolia, 182, 187, var. longistyla integrifolia, 171, var. longistyla pinnatifida, 171; arctica, 156, 178, 203; arenosa, 178; argentea, 139; argyraea, 158; auriculata, 147; Berlandieri, 160; brevistyla, 148; densiflora, 150; Engelmanii, 151, 152; Fendleri, 163; frigida, 141; globosa, 202; Gordoni,

188; gracilis, 184, 187; grandiflora, 148, 173, var. pallida, 173, var. pinnatifida, 148; Kingii, 215; lasiocarpa, 137; Lescurii, 135; Lindheimeri, 183; ludoviciana, 174, 178, 225; mendecina, 204; montana, 198, 224; montevidensis, 155; Nuttallii, 186; occidentalis, 224; pallida, 173; polyantha, 184; pulchella, 152; purpurea, 161, var. albiflora, 161; recurvata, 158, 171; repanda, 186; Schaffneri, 168; Shortii, 202; stenophylla, 164, var. diffusa, 164, var. humilis, 164, var. procera, 165, var. siliculis ovatis, 164

Water, germination of spores in, 293 Webb, Robert W. Studies in the physiology of the fungi. xv. Germination of the spores of certain fungi in relation to hydrogen-ion concentration, 283

